

INDEX MAPS. **T. 21N, R. 5 E. 2nd Mer.**

	6		5		4		3		2		1	90
		111		106		102		99		95		
		111		106		102		98		95		
91	7	110	8	105	9	102	10	98	11	94	12	89
		110		105		101		98		94		
91	18	109	17	105	16	101	15	97	14	94	13	89
		109		104		101		97		94		
91	19	108	20	104	21	100	22	97	23	93	24	89
		108		104		100		96		93		
90	30	107	29	103	28	100	27	96	26	93	25	89
		107		103		99		96		92		
90	31	106	32	103	33	99	34	95	35	92	36	88
		88		87		87		87		87		

T. 26N, R. 5 E. 2nd Mer.

	117	116	116	115	115	115						
117	6	5	4	128	3	125	2	121	1	113		
				132		129		125		121		
118	7	8	9	129	10	125	11	122	12	113		
	135	135	133	132	130		126	122				
118	18	136	17	133	16	130	15	127	14	123	13	113
	137	137	134	130	126	123						
119	19	138	20	134	21	131	22	127	23	123	24	114
119	138	139	138	135	134	131	128	124	124	121	114	
	119	120	120	120	120	120	120	120	120	120	120	
	30	29	28	27	26	25						
	31	32	33	34	35	36						

Meanders 139

Township Lines.

Ch. Lk. East Boundary.

South on the E. Boundary of Sec. 1

5.00 enter Willow Swamp

6.50 leave Swamp

23.98 a W. Oak 12 in. dia.

25.00 enter Willow Swamp

28.00 leave Swamp

40.00 set q. sec. post from which

a Sugar 14 in. dia. bears N 54 W 67 1/2 m. dist. &

a W. Oak 24 " " " S 54 W 44 " "

42.00 enter Willow Swamp

44.00 leave Swamp

57.85 a Stream 12 m. wide course W.

59.10 a Beech 22 in. dia.

80.00 set post cor. of sec. 1 & 12 from which

a Beech 15 in. dia. bears N 57 W 11 m. dist. &

a Hickory 24 " " " S 46 W 84 " "

Land tolerably good except the Swamps

South on the E. Boundary of Sec. 12

11.80 a Beech 24 in. dia.

27.30 a Stream 7 m. wide course W.

40.00 set q. sec. post from which

a Sugar 20 in. dia. bears N 43 W 35 m. dist. &

a Beech 18 " " " S 39 W 10 " "

48.73 a Beech 14 " "

61.55 an Indian trace, W.

70.88 a Beech 14 in. dia.

80.00 set post cor. of sec. 12 & 13 from which

a Sugar 15 in. dia. bears N 61 W 23 m. dist. &

an Ash 24 " " " S 15 W 27 " "

Land rolling & good. Timber Beech, Sugar,
Ash, Oak & W. Spruce &c.

South on the E. Boundary of Sec. 13

T. 26 N., R. 5 E. 2^d Mer. Ind.^a
 Chs. Lk.

20.77 a Beech 22 in. dia.

40.00 set off sec. post from which
 an Elm 15 in. dia. bears N 66° W 16 Mk. dist. 8
 a Beech 12 " " S 46° W 4 " "

43.70 a Stream 5 Mk. wide course SW

60.47 a Beech 14 in. dia.

75.00 a Stream 8 Mk. wide course W

80.00 set part cor. of sec. 13 & 24 from which
 a Buckeye 12 in. dia. bears N 62° W 45 Mk. dist. 4
 a Poplar 36 " " S 34° W 22 " "
 Land rolling 2^d rate. Timber Beech, Oak,
 Elm, Sugar, Ash & Vgs. Spice & young Sugar

South on the E. Boundary of Sec. 24

17.98 a Beech 18 in. dia.

22.30 set post on right bank of Mississippi River
 course S 46° W. at foot of high Bluff from which
 an Elm 12 in. dia. bears N 12° E 28 Mk. dist. 8
 a Sugar 6 " " S 65° W 103 " "

26.12 set post on left bank of river from which
 a Buckeye 16 in. dia. bears S 45° W 10 Mk. dist. 8
 a Hackberry 24 " " N 57° E 26 " "

40.00 a Hackberry 4 " " corner tree from which
 a Beech 12 in. dia. bears N 13° W 24 Mk. dist. 4
 a Buckeye 8 " " S 9° W 22 " "

80.00 set part cor. of sec. 24 & 25 from which
 a Beech 18 in. dia. bears N 48° W 12 Mk. dist. 8
 a Do 22 " " S 55° W 41 " "
 North of River poor, South of river 1st rate

South on the E. Boundary of Sec. 25

8.73 a Beech 14 in. dia.

13.03 Intersect E. Boundary of Cession, set post from wh.
 a Beech 28 in. dia. bears S 49° E 13 Mk. dist. 8
 a Do 24 " " N 19° W 53 " "

May 22, 1839

T. 26 N., R. 5 E. 2. Mer. Ind.?

Ch. 1st.

North Boundary.

Bearings at corner of T. 26 & 27 N., R. 5 & 6 E.
a Beech 18 in. dia. bears N 62 E 21 Wks. dist. &
a Do 15 " " " N 56 W 65 " "

West on the S. Boundary of Sec. 36, T. 27 N., R. 5 E
9.33 a W. Oak 48 in. dia.

31.50 a Stream 3 Wks. wide course S.

40.00 set of sec. post from which

a Sugar 24 in. dia. bears N 75 E 40 Wks. dist. &
a Do 24 " " " N 56 W 14 " "

61.21 a Sugar 24 " "

80.00 set post cor. of sec. 35 & 36 from which

a Sugar 22 in. dia. bears N 56 E 23 Wks. dist. &
a Beech 18 " " " N 57 W 42 " "

Land rolling & 1st rate. Timber principally
Beech & Sugar, some Oak, Ash, Walnut &
Poplar. At of sec. post an Indian Sugar camp.

West on the S. Boundary of Sec. 35, T. 27 N., R. 5 E

9.07 a Stream 25 Wks. wide course NW

15.68 a Beech 15 in. dia.

26.47 a Stream 4 Wks. wide course N.

32.74 a Beech 18 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears N 39 E 26 Wks. dist. &
a Do 16 " " " N 64 W 25 " "

53.82 a R. Oak 20 " "

63.00 a Road, N.

67.50 a Stream 4 Wks. wide course NW. (Sugar camp

73.94 a Do 3 " " " N

80.00 set post cor. of sec. 34 & 35 from which

a Sugar 16 in. dia. bears N 55 E 61 Wks. dist. &
a W. Walnut 28 " " " N 32 W 23 " "

Land 1st rate. Timber same as last noted.

West on the S. Boundary of Sec. 34, T. 27 N., R. 5 E

T. 20 N., R. 5 E. 2^d Mer. Ind. a

Chs. Lks.

- 7.71 a Stream 8 lks. wide course N.
 10.20 a Beech 18 in. dia.
 40.00 set q. sec. post from which
 a Beech 12 in. dia. bears N 46 E 63 lks. dist. &
 a Sugar 20 " " " N 15 W 48 " "
 48.21 a Stream 5 lks. wide course N.
 50.17 a Beech 12 in. dia.
 80.00 set post cor. of sec. 33 & 34 from which
 a Beech 12 in. dia. bears N 63 E 19 lks. dist. &
 a W. Oak 22 " " " N 52 W 38 " "
 Land 1st rate. Timber Beech, Sugar, Oak,
 Ash & No Uls. May 23. 1839

West on the S. Boundary of Sec. 33, T 27 N, R 5 E

- 16.91 a Beech 20 in. dia.
 28.30 a Stream 4 lks. wide course SW
 40.00 set q. sec. post from which
 a Sugar 12 in. dia. bears N 10 E 27 lks. dist. &
 a Do 14 " " " N 71 W 58 " "
 59.86 a W. Oak 4 " " Road to Godfrey's NW
 80.00 set post cor. of sec. 32 & 33 from which
 a Sugar 20 in. dia. bears N 63 E 70 lks. dist. &
 a Beech 24 " " " N 63 W 41 " "
 First 1/4 mile level, last 3/4 mile hilly & broken
 by ravines of the Mississinewa River. 2^d rate
 Timber Beech, Oak, Sugar & Uls. Spice,
 Ironwood &c.

West on the S. Boundary of Sec. 32, T 27 N, R 5 E

- 33.53 a Sugar 18 in. dia.
 40.00 set q. sec. post from which
 a Beech 14 in. dia. bears N 57 E 25 lks. dist. &
 a Sugar 16 " " " N 53 W 37 " "
 55.30 Road to Godfrey's NW
 60.23 a Beech 24 in. dia.
 80.00 set post cor. of sec. 31 & 32 from which

T. 26 N., R. 5 E. 2. Mer. Ind. a.

Chr. 910?

a Beech 20 in. dia. bears N 50 1/2 E 67 1/2 Ms. dist. 4
 a Do 40 " " " N 30 1/2 W 60 " "
 First 1/4 mile broken, last 3/4 miles gently rolling
 T. rate. Timber Beech, Sugar, Oak, Hickory
 & Upr. Spruce, young Sugar &c

West on the S. Boundary of Sec. 31, T. 27 N., R. 5 E
 7.33 an Elm 10 in. dia.

40.00 set of sec. post from which
 a Hickory 12 in. dia. bears N 31 E 28 Ms. dist. 3
 an Oak 8 " " " N 31 W 10 " "

43.86 a Walnut 18 " "

63.30 Intersect right bank of Mississinewa River
 course N 20 W. set post from which
 a Hackberry 20 in. dia. bears N 15 W 29 Ms. dist. 3
 a W. Oak 12 " " " S 47 E 42 " "

67.91 set post on left bank of river from which
 a Blue Ash 10 in. dia. bears N 8 1/2 W 11 Ms. dist. 4
 an Elm 36 " " " S 74 E 20 " "

69.95 set post cor. of T. 26 & 27 N., R. 4 & 5 E. from which
 a Beech 22 in. dia. bears N 55 W 7 Ms. dist. 4
 a Do 18 " " " N 29 1/2 E 15 " "
 (Description of land &c omitted.)
 May 24, 1839

West Boundary.

South on the E. Boundary of Sec. 1, T. 26 N., R. 4 E

1.50 Road from Marion to Peru, NW

7.50 a Beech 24 in. dia.

40.00 set of sec. post from which
 a Sugar 18 in. dia. bears N 24 W 35 Ms. dist. 3
 a Beech 15 " " " S 29 W 39 " "

48.46 a Beech 22 " "

63.82 a Do 10 " "

67.62 a Stream 8 Ms. wide course E.

80.00 set post cor. of sec. 1 & 12 from which

T. 26 N., R. 5 E., T. Mer. Ind.^a
Ch. Lk.

a Sugar 14 in. dia. bears N 23 E 13 W. dist. 4
a Do 14 " " " S 3 W 52 " "
Land rolling & 1st rate. Timber Beech,
Sugar, Oak, Ash, Poplar & No Upr.

South on the E. Boundary of Sec. 12, T. 26 N., R. 4 E

7.50 a Poplar 18 in. dia.
8.00 a Stream 8 W. wide course W. of N.
9.00 same stream " E. of N.
31.13 a B. Oak 24 in. dia.
40.00 set g. sec. post from which
a Water Beech 6 in. dia. bears N 66 W 33 W. dist. 4
a W. Oak 5 " " " S 89 W 23 " "
53.20 a W. Oak 15 " "
63.16 a Do 48 " "
80.00 in Ironwood 3 " " corner tree for sec. 12 & 13
from which
a B. Oak 40 in. dia. bears N 42 W 25 W. dist. 8
a Sugar 14 " " " S 28 W 22 " "
Land level 2nd rate. Timber Beech, Oak,
Elm, Sugar, Ash, Poplar. Heavy Upr. of
young Sugar & Spice

South on the E. Boundary of Sec. 13, T. 26 N., R. 4 E

3.54 a Hickory 24 in. dia.
16.34 a Beech 24 " "
40.00 set g. sec. post from which
a Hickory 28 in. dia. bears N 58 W 33 W. dist. 8
a B. Oak 12 " " " S 72 W 24 " "
60.88 a Beech 20 " "
73.05 a Water Beech 5 in. dia.
80.00 set post cor. of sec. 13 & 24 from which
a Beech 30 in. dia. bears N 50 W 50 W. dist. 4
a W. Oak 12 " " " S 51 W 32 " "
Land level 2nd rate. Timber Beech, Oak, Hick-
ory, Walnut, Sugar. Heavy Upr. of Ironwood,

Chs. 20.

young Sugar & Spice

South on the E. Boundary of Sec. 24, T. 20 N., R. 4 E

8.83 a Buckeye 20 in. dia.

19.20 a Stream 30 Yds. wide course W.

20.77 an Indian trace, NW

28.05 a Sugar 28 in. dia. An Indian Sugar camp

34.94 a Stream 4 Yds. wide course NW

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 55° W 5 Yds. dist. 8

a Sugar 28 " " " S 51° W 49 " "

60.33 a Hickory 18 " "

80.00 set post cor. of sec. 24 & 25 from which

a Lynn 36 in. dia. bears N 76° W 5 Yds. dist. 8

a Beech 14 " " " S 71° W 19 " "

Land gently rolling & 1st rate. Timber Beech, Sugar, Oak, Ash, Hickory & Spice, Sugarb.

South on the E. Boundary of Sec. 25, T. 20 N., R. 4 E

12.67 Intersect S. Boundary of Session, set post from

wh. a Beech 22 in. dia. bears N 00° W 35 Yds. dist. 8

" Do 18 " " " N 04° E 24 " "

Land level 2nd rate.

Southern Boundary line of the Miami
cession of November 6. 1839

Start on 13th Mile

10.29 a Beech 15 in. dia.

44.61 a Hickory 18 " "

56.50 an Indian trace, much travelled, a little W.
of North

58.45 a Hickory 24 in. dia.

80.00 13 Miles, set temp. post.

Land level & good. Timber Beech, Hickory,
Ash, Elm, Oak &c.

T. 20 N., R. 30 E. 2^d Mer. Ind.?

Elev. 200

East on 14th Mile

22.13 a Sugar 24 in. dia.

55.35 an Ash 8 " "

75.50 an Indian trace, N.

80.00 14 Miles, set temp. post

First half mile rolling 1st rate, last half
mile level & wet. Timber Beech, Oak, Ash,
Elm, Sugar, Hickory &c.

East on 15th Mile

23.86 a Bur Oak 42 in. dia.

27.00 a sluggish stream 15 krs. wide course N.

47.11 an Oak 40 in. dia.

80.00 15 Miles, set temp. post

Land level & good. Timber Beech, Oak, Hickory, Elm

East on 16th Mile

13.15 an Ironwood 6 in. dia.

50.79 an Indian trace, NW

51.95 an Ash 12 in. dia.

72.87 a Sugar 24 " "

73.00 an Indian trace, NW

80.00 16 Miles, set temp. post

Land slightly rolling & good. Timber Oak, Beech,
Poplar, Elm, Ash, Hickory, Gum, Sugar

East on 17th Mile

6.50 a Brook 3 krs. wide course S.

31.34 an Elm 14 in. dia. From this to the last mile
post a beautiful Sugar grove

49.00 a Stream 4 krs. wide course S.

50.45 an Ironwood 10 in. dia.

75.00 a Sugar 24 " "

80.00 17 Miles, set temp. post

Land rolling & 1st rate. Timber Sugar, Walnut,
Ash, Buckeye, Beech, Oak &c.

Completed.

T. 26 N., R. 5 E. 2^d Mer. Ind. ^a
Ch. Sk.

East on 18th Mile

8.38 a Stream 8 M. wide course S E

17.00 a Do 27 " " " NE

23.50 Road from Marion to Peru

31.54 a Sugar 24 in. dia.

72.76 a Beech 18 " "

80.00 18 Miles, set temp. post

Land rolling & 1st rate. Timber Sugar, Beech,
Walnut, Buckeye, Ash, Oak &c.

May 11. 1839

Chauncy Carter

Deputy Surveyor.

Subdivision.

South between Sec. 1 & 2

9.50 a Stream 15 M. wide course W.

13.23 a Beech 10 in. dia.

18.80 a Stream 18 M. wide course NW.

25.04 a Beech 15 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 5 E 27 M. dist. &

a Do 18 " " " S 26 W 25 " "

50.10 a Beech 24 " "

65.00 a Do 18 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 18 in. dia. bears S 41 E 26 M. dist. &

a Do 24 " " " N 76 W 30 " "

Land rolling & 1st rate. Timber Beech, Sugar,
Walnut, Oak, Ash &c. No Underbrush

East on Road between Sec. 1 & 12

52.50 a Stream 15 M. wide course NW.

80.44 Intersect E. Boundary 21 M. N. of post -

Land rolling & good 2^d rate. Timber Beech, Sugar,
Oak, Ash, Elm &c. Upr. Spruce &c.

West Corner between Sec. 1 & 12

T. 20 N., R. 5 E., 2^d Mer. Ind. Co.

Ch. Lk.

- 12.70 a Beech 24 in. dia.
 28.16 an Ironwood 6 in. dia.
 40.22 set of sec. post at aver. dist. from which
 a Beech 24 in. dia. bears N 50° 20 W. dist. 4
 a Do 20 " " " S 75° 41 W 24 " "
 49.65 an Ash 15 " "
 72.52 a Sugar 24 " "
 80.44 to sec. cor. August 24, 1839

South between Sec. 11 & 12

- 14.41 a Beech 12 in. dia.
 30.55 a Walnut 14 " "
 40.00 set of sec. post from which
 a Sugar 20 in. dia. bears S 80° 45 W. dist. 4
 a Poplar 24 " " " N 47° 41 W 29 " "
 47.73 a Beech 20 " "
 61.95 a Do 24 " "
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 a Beech 24 in. dia. bears S 40° 20 W. dist. 8
 a Do 28 " " " N 75° 41 W 57 " "
 North half mile rolling 1st rate, South half
 mile broken 2^d rate land. Timber Beech, Sugar,
 Walnut, Oak, Ash & Upr. Spice, Pawpaw,
 Ironwood &c.

East in Raudern between Sec. 12 & 13

- 80.22 Intersect E. Boundary 25 W. N. of post -
 West half mile broken, East half mile level
 2^d rate land. Timber Beech, Oak, Elm, Sugar,
 Poplar, Ash & Upr. Spice, Ironwood &c.

West Connected between Sec. 12 & 13

- 10.73 a Red Oak 36 in. dia.
 33.30 a Hickory 18 " "
 40.11 set of sec. post at aver. dist. from which
 a Beech 20 in. dia. bears S 59° 05 W. dist. 8

T. 26 N., R. 5 E. 2. Mer. Ind. a.
 Ch. 19?

a Beech 14 in. dia. bears N 55 W 50 lbs. dist.

51.16 a Hickory 8 " "

67.38 a Beech 20 " "

80.22 to sec. cor.

South between Sec. 13 & 14

10.48 a Beech 28 in. dia.

27.18 a Poplar 28 " "

40.00 set g. sec. post from which

an Elm 24 in. dia. bears N 11 E 25 lbs. dist. &

a Sugar 12 " " " S 22 E 10 " "

50.97 an Greenwood 9 in. dia.

75.50 set post on right bank of Mississinewa River
 from which

an Ash 12 in. dia. bears N 12 E 20 lbs. dist. &

a Hackberry 24 " " " S 72 E 22 " "

80.00 cor. of sec. 13, 14, 23 & 24 in the River, inaccess-
 ible. — Land broken & poor. Timber
 Beech, Oak, Hickory, Greenwood &
 August 25. 1839

East on true line between Sec. 13 & 24

5.00 leave river & set post on right bank from which

a Buckeye 10 in. dia. bears N 44 E 9 lbs. dist. &

a Hackberry 20 " " " S 44 E 26 " "

31.22 Intersect W. Boundary of Grant N. 26, set
 post from which

a W. Oak 30 in. dia. bears N 54 E 27 lbs. dist. &

a Sugar 12 " " " N 52 W 12 " "

Measured along the W. Boundary of said grant
 South 4.07 Ch. to the SW. corner thereof on
 the Mississinewa River.

(Description of land &c. omitted.)

South between Sec. 23 & 24

1.19 over river, set post on left bank from which

T. 26 N., R. 5 E. T. Mer. Ind.⁴
 Ch. 1st

- a Buckeye 10 in. dia. bears S 87° 05' W 5' W. dist. 4'
 a Sugar 24 " " " S 70° 11' 30' " "
 24.43 a Beech 18 " "
 40.00 set g. sec. post from which
 a Sugar 14 in. dia. bears N 12° 02' 1' W. dist. 4'
 a Beech 12 " " " S 32° 11' 39' " "
 52.40 a Buckeye 15 " "
 62.50 Road from Marion to Peru, NW
 67.79 a B. Oak 18 in. dia.
 80.00 set post cor. of sec. 23, 24, 25 & 26 from which
 a Beech 18 in. dia. bears S 60° 11' 25' W. dist. 8'
 an Elm 20 " " " North 13 " "
 - Land rolling good 2nd rate. Timber Beech,
 Sugar, Oak, Walnut, Elm, Ash & Spice &c.

East on Random between Sec. 24 & 25

- 22.00 Road from Marion to Peru, NW
 43.00 a Stream 20 W. wide course N.
 80.04 Intersect E. Boundary 27 W. N. of post -
 Land rolling & good 2nd rate. Timber Beech,
 Sugar, Oak, Walnut, Ash & Elm. Spice &c.

West Corrected between Sec. 24 & 25

- 19.33 a Walnut 10 in. dia.
 28.05 a Do 28 " "
 40.32 set g. sec. post at aver. dist. from which
 a Sugar 12 in. dia. bears N 27° 01' 44' W. dist. 8'
 a Do 15 " " " S 59° 03' 38' " "
 48.03 a Sugar 24 " "
 63.52 a Do 15 " "
 80.04 to sec. cor.

South between Sec. 25 & 26

- 13.46 Intersect S. Boundary of the cession, set
 post from which
 a Beech 14 in. dia. bears N 66° 11' 9' W. dist. 4'

Ch. L. H. T. D. N., R. 5 E. 2. Mer. Ind. a

an Ironwood 10 in. dia. bears S 40 E 40 W. dist.
Land level 2nd rate. Timber Beech, Sugar, Oak &c.
August 26. 1839

South between Sec. 2 & 3

19.26 a Sugar 15 in. dia.

30.30 a Do 18 " "

40.00 set of sec. port from which

a Beech 15 in. dia. bears N 39 W 19 W. dist. 8

a Sugar 12 " " " S 49 W 10 " "

47.56 a Beech 24 " "

65.72 a Do 18 " "

80.00 set port cor. of sec. 2, 3, 10 & 11 from which

a Beech 15 in. dia. bears N 66 W 35 W. dist. 8

a Do 12 " " " S 79 E 53 " "

Nothing good 2nd rate land. Timber Beech,
Sugar, Oak, Elm, Walnut, Ash, Poplar &c.
No Underbrush

East in Pradom between Sec. 2 & 11

80.70 Intersect N. G. line 27 W. S. of port -

Land level 2nd rate. Timber Beech, Sugar,
Oak, Ash, Walnut &c. No Uprrowth.

West Corrected between Sec. 2 & 11

12.09 a Beech 12 in. dia.

27.15 a Do 20 " "

40.35 set of sec. port at aver. dist. from which

a Beech 18 in. dia. bears N 30 E 26 W. dist. 8

a Do 20 " " " S 24 W 18 " "

55.94 a Hickory 18 " "

69.55 a Beech 15 " "

80.70 to sec. cor. August 27. 1839

South between Sec. 10 & 11

11.43 a Beech 18 in. dia.

T. 26 N., R. 5 E. 2. Mer. Ind.⁴

Ch. 9th.

28.93 a Sugar 15 in. dia.

40.00 set of sec. post from which

a Sugar 14 in. dia. bears S 46° W 20 krs. dist. 8

a Do 20 " " " N 33° E 17 " "

50.14 set post on right bank of Mississinewa River from which

2 Elms 12 in. dia. each bears N 82° E 21 krs. dist. 8

an Elm 8 " " " S 60° W 23 " "

North of of sec. post land rolling good 2^d rate,

South of do land broken. Timber Beech, Sugar, Oak, Elm, Walnut, Ash & N. Upr.

West between Sec. 14 & 14

11.38 a Beech 18 in. dia.

29.17 set post on right bank of Mississinewa R. from wh.

a Buckeye 12 in. dia. bears N 10° W 12 krs. dist. 8

a Hackberry 24 " " " S 5° W 15 " "

Land broken & 2^d rate. Timber Beech, Oak, Sugar, Elm &c.

West entire line between Sec. 14 & 23

1.31 leaves river, set post on left bank from which

a Hickory 12 in. dia. bears S 56° E 13 krs. dist. 8

a W. Oak 10 " " " N 36° W 10 " "

4.90 a Stream 12 krs. wide runs N.

11.00 a Water Beech 6 in. dia.

31.69 a Sugar 24 in. dia.

40.00 set of sec. post from which

a Buckeye 24 in. dia. bears N 13° W 21 krs. dist.

a Hickory 14 " " " S 21° E 20 " "

55.19 a Beech 18 " "

58.00 Road from Marion to Peru, NW

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a Sugar 18 in. dia. bears S 11° W 8 krs. dist. 8

a W. Oak 20 " " " S 69° E 11 " "

Land rolling & 1st rate. Timber Beech

T. 26 N., R. 5 E. 2^d Mer. Ind.
Ch. Sp.

Sugar, Walnut, Buckeye, Oak &c

North between Sec. 14 & 15

10.38 an Ash 18 in. dia.

13.09 Intersect S. Boundary of Grant N. 25,

set post from which

an Ash 18 in. dia. bears N 32 E 45 Mk. dist. 8

a Do 18 " " " S 12 E 34 " "

Measured along said South Boundary

West 25.24 Ch. to the S.W. corner of said Grant. — Land cutting & good.

August 28. 1839

South between Sec. 22 & 23

13.88 a Hickory 24 in. dia.

27.13 a Beech 18 " "

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 9 W 10 Mk. dist. 8

a Do 24 " " " S 39 E 41 " "

50.08 a Beech 18 " "

67.00 a Poplar 24 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

an Elm 36 in. dia. bears N 54 E 27 Mk. dist. 8

a Hickory 12 " " " S 59 W 19 " "

Land cutting & good 2^d rate. Timber

Beech, Sugar, Oak, Ash, Walnut, Poplar,

Lynn &c. Elm. Spice &c

East on Random between Sec. 23 & 26

79.94 Intersect N. S. line 10 Mk. N. of post —

Land level 2^d rate. Timber Beech, Sugar,

Oak, Elm, Ash, Hickory, Lynn &c

Elm. Spice, Ironwood &c

West Connected between Sec. 23 & 26

14.00 an Elm 14 in. dia.

T. 20. N., R. 5 E. 2. Mer. Ind.?

Ch. 9th?

29.19 a Hickory 20 in. dia.

39.97 set of sec. post at aver. dist. from which
a Hickory 24 in. dia. bears S 37° E 18 W. dist. 8
a Beech 24 " " " N 35° W 33 " "

49.07 an Elm 15 " "

64.09 a Hickory 18 " "

79.94 to sec. cor.

South between Sec. 26 & 27

13.48 Intersect S. Boundary of Section, set post from
wh. an Ash 24 in. dia. bears N 55° W 12 W. dist.
La Poplar 30 " " " S 10° W 30 " "
August 29. 1839

South between Sec. 3 & 4

13.10 a Beech 18 in. dia.

30.34 a Do 15 " "

40.00 set of sec. post from which
a Sugar 18 in. dia. bears N 37° W 30 W. dist. 8
a W. Oak 40 " " " S 38° E 32 " "

51.35 a Beech 18 " "

61.35 set post on right bank of Mississinewa River
from which
an Ash 18 in. dia. bears N 26° W 13 W. dist. 8
a Buckeye 14 " " " S 80° E 31 " "67.07 set post on left bank of river from which
a Hackberry 18 in. dia. bears N 88° W 16 W. dist. 8
a Sycamore 18 " " " S 85° E 47 " "80.00 set post cor. of sec. 3, 4, 9 & 10 from which
a Sugar 12 in. dia. bears S 83° E 7 W. dist. 8
a Buckeye 18 " " " N 30° E 18 " "
(Description of land &c omitted)

East on Random between Sec. 3 & 10

5.24 Intersect left bank of Mississinewa River

4.21 over river

Chr. Lk. T. 26 N., R. 5 E. 2. Mer. Ind. a

80.00 Entered N. S. line 19 W. S. of port -
Land on both sides of the river good State. Timber
Beech, Sugar, Walnut, Oak, Elm, Ash, Hickory &c.

West Connected between Sec. 3 & 10

10.90 a Beech 18 in. dia.

29.73 a Walnut 20 " "

40.00 set of sec. port at aver. dist. from which
a Sugar 18 in. dia. bears N 22 W 38 W. dist. 8
a Beech 22 " " " S 67 E 43 " "

52.57 a Poplar 20 " "

70.55 set port on right bank of Mississinewa River
from which

an Ash 18 in. dia. bears N 5 E 22 W. dist. 8
a Hackberry 28 " " " S 30 E 8 " "

74.70 set port on left bank of river from which
a Buckeye 18 in. dia. bears N 16 W 74 W. dist. 8
a Beech 18 " " " S 137 W 26 " "

80.00 to Sec. cor.

South between Sec. 9 & 10

10.22 a Beech 10 in. dia.

34.85 a Buckeye 18 " "

35.00 Road from Marion to Peru, NW

40.00 set of sec. port from which

a Beech 28 in. dia. bears N 34 W 11 W. dist. 8
a Do 14 " " " S 31 E 29 " "

56.19 a Maple 18 " "

71.30 a Beech 15 " "

80.00 set port cor. of sec. 9, 10, 15 & 16 from which
an Elm 20 in. dia. bears S 84 E 22 W. dist. 8
a Walnut 12 " " " S 70 W 50 " "

North half mile rolling T. State, South half
mile broken. Timber Beech, Sugar, Walnut,
Oak, Poplar, Ash &c. Upl. Spice &c.
August 31. 1839

T. 20 N., R. 5 E. 2. Mer. Ind. a

Ch. Lk.

East on true line between Sec. 10 & 15

1.00 a Stream 15 lks. wide course N.

19.23 a Sugar 28 in. dia.

32.50 a Buckeye 12 " "

40.00 set of sec. post from which

a Buckeye 18 in. dia. bears N 54 E 17 lks. dist. &

a Sugar 10 " " " N 44 W 21 " "

55.61 Intersect W. Boundary of Grant N. 25, set post from which

an Ironwood 12 in. dia. bears N 20 E 33 lks. dist. &

a Beech 24 " " " S 74 W 24 " "

Measured along said W. Boundary North 22.81 lks. to the NW. corner of said Grant on the left bank of the Mississinewa River.

Land rolling & good. Timber as last noted.

South between Sec. 15 & 16

12.29 a Beech 24 in. dia.

24.26 a Walnut 10 " "

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 44 E 14 lks. dist. &

an Ash 8 " " " S 22 W 17 " "

50.84 a Beech 18 " "

72.76 a Do 18 " "

80.00 set post cor. of Sec. 15, 16, 21 & 22 from which

a Beech 18 in. dia. bears S 65 W 18 lks. dist. &

an Elm 30 " " " N 44 E 13 " "

Land rolling & rate. Timber Beech, Oak, Sugar, Elm, Ash, Hickory & Upr. Spice, Ironwood &c. August 31. 1839

East on Randon between Sec. 15 & 22

80.32 Intersect N. & E. line 22 lks. N. of post -

Land level & rate. Timber Beech, Sugar, Oak, Elm, Ash, Walnut, Upr. Spice & young Sugar

T. 26 N., R. 50. E. 2. Mer. Ind. a
Ch. Sp.

West Connected between Sec. 15 & 22

- 10.44 a Hickory 30 in. dia.
30.75 a Beech 24 " "
40.10 set of sec. part at aver. dist. from which
a Hickory 40 in. dia. bears S 69 E 24 W; dist. 8
a Sugar 12 " " " N 42 W 26 " "
48.35 a Buckeye 8 " "
65.48 a Hickory 28 " "
80.32 to sec. cor.

South between Sec. 21 & 22

- 18.42 an Ash 40 in. dia.
30.14 a Beech 15 " "
40.00 set of sec. part from which
a Maple 12 in. dia. bears N 79 W 50 W; dist. 8
a Do 15 " " " S 43 W 77 " "
55.95 a W. Oak 12 " "
67.65 an Ash 10 " "
80.00 set part cor. of sec. 21, 22, 27 & 28 from which
a W. Oak 36 in. dia. bears S 47 W 34 W; dist. 8
a Beech 24 " " " N 31 E 54 " "
Land level & good 2^d rate. Timber Beech,
Sugar, Oak, Elm, Ash, Walnut, Hickory &
Upr. Spice &c.

East on Random between Sec. 22 & 27

- 80.00 Intersect N. & S. line 14 W. N. of part—
Land level 2^d rate. Timber Beech, Oak,
Elm, Sugar, Ash, Hickory &c. Upr. Spice,
young Sugar &c.

West Connected between Sec. 22 & 27

- 11.41 a Sycamore 36 in. dia.
30.99 an Ironwood 8 " "
40.00 set of sec. part at aver. dist. from which
a W. Oak 22 in. dia. bears N 27 E 38 W; dist. 8

T. 26 N., R. 5 E. 2. Mer. Ind.^a
 Ch^r. 10?

a Beech 18 in. dia. bears S 21 E 23 W. dist.
 50.01 a Poplar 40 ; ;
 67.28 a W. Oak 36 ; ;
 80.00 to sec. cor.

South between Sec^s. 27 & 28

13.03 Intersect S. Boundary of Cession, set post from wh.
 a Bur Oak 18 in. dia. bears N 22 E 19 W. dist. &
 an Ash 12 ; ; ; S 84 W 21 ; ;
 Land & timber same as before described
 September 1. 1839

West on true line between Sec^s. 4 & 9

12.78 a Hickory 12 in. dia.
 34.39 an Elm 28 ; ;
 40.00 set of sec. post from which
 a Walnut 10 in. dia. bears S 50 E 30 W. dist. &
 a Sugar 36 ; ; ; N 81 W 41 ; ;
 52.00 a Beech 36 ; ;
 62.74 Intersect E. Boundary of Grant N^o. 28, set post
 from which
 a Hackberry 12 in. dia. bears S 57 E 7 W. dist. &
 a Do 12 ; ; ; N 28 W 26 ; ;
 Measured along said E. Boundary North 55.64
 Ch^r. to the N.E. corner of said Grant on the left
 bank of Mississinewa River.
 Land rolling T.^h rate. Timber Hackberry, Sugar,
 Walnut, Oak, Ash, Elm & Spice, Pawpaw &c.

West on true line between Sec^s. 9 & 10

17.18 a Cherry - in. dia.
 31.18 a Beech 15 ; ;
 40.00 set of sec. post from which
 a Sugar 15 in. dia. bears N 27 W 18 W. dist. &
 a Beech 14 ; ; ; S 53 E 41 ; ;
 49.73 a Beech 18 ; ;

T. 26 N., R. 5 E. 2. Mer. Ind.
Ch. 1st?

04.52 a Beech 24 in. dia.

80.00 set post cor. of sec. 8, 9, 10 & 17 from which
an Ash 30 in. dia. bears N 44 W 43 lks. dist. &
a Sugar — " " " S 56 E 36 " "

Land rolling good 2^d rate. Timber Beech, Oak,
Sugar, Ash, Elm, Hickory, Gum & Upr. Spice &c.
September 4. 1839

North between Sec. 8 & 9

11.21 a Beech 36 in. dia.

25.00 a Sugar 18 " "

37.28 Intersect S. Boundary of Grant N. 28, set post
from which

an Ash 8 in. dia. bears N 65 E 11 lks. dist. &

an Elm 36 " " " S 87 W 12 " "

Measured along said South Boundary East
10.70 lks. to the S.E. corner of said Grant.
Land rolling good 2^d rate. Timber Beech,
Sugar, Ash, Oak, Elm, Gum, Hickory &c.
Upr. Spice &c.

South between Sec. 10 & 17

10.54 a Sugar 12 in. dia.

20.78 a Beech 14 " "

40.00 set gr. sec. post from which

a Poplar 15 in. dia. bears N 10 E 5 lks. dist. &

a Sugar 18 " " " S 5 W 22 " "

50.01 a W. Oak 24 " "

08.13 a Beech 15 " "

80.00 set post cor. of sec. 10, 17, 20 & 21 from which

a Red Oak 12 in. dia. bears N 79 W 42 lks. dist. &

a Hickory 24 " " " S 47 E 25 " "

Land level. North half mile 2^d rate, South
half mile wet. Timber Beech, Oak, Hickory,
Sugar, Elm, Ash & Upr. Spice &c.

T. 26 N., R. 5 E. 2^d Mer. Ind. a
 Ch. Sk.

East on Random between Sec. 10 & 21

80.18 Intersect N. & S. line 31 Ws. S. of port—
 Land level 2^d rate. Timber Beech, Oak,
 Ash, Sugar, Hickory, Elm & Wgs. Spice,
 Ironwood &c.

West Corrected between Sec. 10 & 21

10.66 an Elm 6 in. dia.

30.10 an Ironwood 8 in. dia.

40.09 set of sec. port at aver. dist. from which
 a Maple 14 in. dia. bears N 72° W 18 Ws. dist. 8
 a Do 18 " " " N 33° E 17 " "

59.38 a Beech 15 " "

68.83 an Ironwood 6 in. dia.

80.18 to sec. cor.

South between Sec. 20 & 21

12.66 an Ash 10 in. dia.

33.83 a Walnut 20 in. dia.

40.00 set of sec. port from which
 a Beech 18 in. dia. bears N 68° E 34 Ws. dist. 8
 an Ash 15 " " " West 25 " "

52.74 an Ash 28 " "

64.94 a Red Oak 24 in. dia.

80.00 set port cor. of sec. 20, 21, 28 & 29 from which
 a Hackberry 12 in. dia. bears N 17° E 33 Ws. dist. 8
 a Hickory 20 " " " N 79° W 25 " "

Land North half mile level 2^d rate, South
 half mile wet. Timber Beech, Oak, Ash, Elm,
 Sugar, Walnut, Hickory, Maple, Hackberry
 & Wgs. Spice, Prickly Ash &c.

East on Random between Sec. 21 & 28

80.50 Intersect N. & S. line 27 Ws. S. of port—

Land level sweet. Timber Beech, Oak, Elm,
 Ash, Hickory, Sugar, Gum & Wgs. Spice &c.

T. 20 N., R. 5 E. 2^d Mer. Ind^a
Ch. 2^d 1st

West Connected between Sec^s 21 & 28
 11.58 an Elm 8 in. dia.
 25.94 a Lynn 20 " "
 40.25 set gr. sec. post at aver. dist. from which
 a Beech 18 in. dia. bears N 21 E 8 1/2 W. dist. .8
 an Ash 40 " " " S 14 1/2 W 11 " "
 47.85 a W. Oak 15 " "
 65.79 a Poplar 18 " "
 80.50 to sec. cor.

South between Sec^s 28 & 29

12.84 Intersect S. Boundary of Cession, set post
 from which
 a B. Oak 12 in. dia. bears N 38 E 30 1/2 W. dist. .4
 a Maple 18 " " " S 69 W 23 " "
 Land level & 1st rate. Sept. 5, 1839

West on true line between Sec^s 8 & 17

7.88 a Beech 40 in. dia.
 27.70 a B. Oak 28 " "
 40.00 set gr. sec. post from which
 a Sugar 20 in. dia. bears S 24 W 2 1/2 W. dist. .9
 a Beech 15 " " " N 85 E 25 " "
 50.30 an Ironwood 8 in. dia.
 69.10 a W. Oak 22 " "
 80.00 set post cor. of sec^s 7, 8, 17 & 18 from which
 a Sugar 18 in. dia. bears S 31 W 3 1/2 W. dist. .9
 a W. Oak 20 " " " N 67 E 25 " "
 Land level good 2^d rate. Timber Beech, Oak,
 Ash, Sugar, Elm, Hickory, Lynn &
 Upr. Spice &c.

North between Sec^s 7 & 8

12.68 a W. Oak 48 in. dia.
 28.04 a Poplar 28 " "
 38.27 Intersect S. Boundary of Grant N. 27, set

T. 26 N., R. 5 E., 2^d Mer. Ind.^a
 Chs. Lk.

post from which
 an Ironwood 10 in. dia. bears N 58° W 3 1/2 M., dist. 8
 a Beech 18 " " S 78° E 39 " "
 Measured along said South Boundary East
 11.83 Ch. to the S.E. corner of said Grant.
 Land rolling & 2^d rate

West on Random between Sec. 7 & 18

72.09 Intersect W. Boundary at post -

Land level 2^d rate. Timber Beech, Oak, Elm,
 Sugar, Ash, Hickory & Ulp. Spice &c.

East Corrected between Sec. 7 & 18

Bearings for corner in W. Boundary:

a Sugar 15 in. dia. bears S 77° E 2 1/2 M., dist. 8
 a Spruce 36 " " N 46° E 75 " "

9.24 an Ash 18 " "

26.86 an W. Oak 48 " "

32.09 set of sec. post from which

an W. Oak 18 in. dia. bears N 44° W 7 M., dist. 8

a Beech 12 " " S 50° E 12 " "

41.07 an Elm 15 " "

58.14 a Sugar 18 " "

72.09 to sec. cor.

Measured South along Range line from the
 S.W. corner of Grant N. 27°, 38.72 Ch. to cor.
 of Sec. 7 & 18

South between Sec. 17 & 18

10.97 a Sugar 15 in. dia.

31.25 an Ash 12 " "

40.00 set of sec. post from which

a Red Oak 22 in. dia. bears N 37° W 18 M., dist. 8

a Beech 15 " " S 21° W 20 " "

50.65 an W. Oak 15 " "

65.22 a Beech 8 " "

137

T. 26 N., R. 5 E. 2^d Mer. Ind.^a
Ch. 9th?

80.00 set part cor. of sec. 17, 18, 19 & 20 from which
a Beech 18 in. dia. bears N 28° W 35 W. dist. is
an Elm 18 " " S 24° E 29 " "
Land level 2^d rate. Timber Beech, Oak, Elm,
Sugar, Hickory, Lynn & Wyp. Spice, Ironwood &c.

East on Random between Sec. 17 & 20
80.00 Intersect N. E. line 10 W. S. of part—
Land level sweet. Timber Beech, Elm, Oak,
Ash, Maple, Sugar, Lynn, Hickory. Wyp.
Spice, Hawth &c.

West Corrected between Sec. 17 & 20
12.39 an Elm 12 in. dia.
29.90 an Ash 18 " "
40.00 set q. sec. part at aver. dist. from which
an Elm 8 in. dia. bears S 81° E 43 W. dist. is
a Top. Ash 12 " " S 36° E 49 " "
52.11 a Beech 18 " "
67.73 an Elm 12 " "
80.00 to sec. cor. September 6. 1839

West on Random between Sec. 18 & 19
41.76 Intersect W. Boundary 13 W. N. of part—
Land rolling good 2^d rate. Timber Beech,
Sugar, Oak, Ash, Elm & Wyp. Spice &c.

East Corrected between Sec. 18 & 19
Bearings for corner in W. Boundary:
a Beech 24 in. dia. bears N 55° E 20 W. dist. is
a Cherry 12 " " S 19° E 21 " "
9.70 a Beech 10 " "
23.07 an Elm 12 " "
31.76 set q. sec. part from which
a Beech 18 in. dia. bears S 66° W 22 W. dist. is
a Do 20 " " N 59° E 16 " "

T. 26 N., R. 5 E. 2. Mer. Ind.^a
 Ch. Ek?

42.86 a Hickory 8 in. dia.

57.06 a Beech 20 " "

71.76 to sec. cor.

South between Sec. 19 & 20

11.91 a Bur Oak 12 in. dia.

30.05 a Beech 18 " "

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 53° W 13 kts. dist. &

a Do 8 " " " S 52° E 28 " "

53.51 a Sugar 15 " "

69.99 a Lym 12 " "

80.00 set post cor. of Sec. 19, 20, 29 & 30 from which

an Elm 24 in. dia. bears N 37° E 10 kts. dist. &

a Beech 28 " " " S 53° W 30 " "

Land level dry creek. Timber Beech, Sugar,
 Ash, Oak, Elm, Walnut, Hickory, Lym &
 Upr. Spice, Pawpaw &

East on Random between Sec. 20 & 29

80.44 intersects N & S line 11 kts. E. of post -

Land level dry creek. Timber Beech, Sugar,
 Oak, Walnut, Ash, Elm, Hickory & Upr.
 Spice, Pawpaw &

West Connected between Sec. 20 & 29

12.03 an Ash 18 in. dia.

26.40 a Mulberry 14 in. dia.

40.22 set g. sec. post at aver. dist. from which

an Ash 14 in. dia. bears N 54° E 48 kts. dist. &

a Do 16 " " " S 29° E 13 " "

49.97 a Beech 12 " "

65.37 a Hickory 24 " "

80.44 to sec. cor.

West on Random between Sec. 19 & 30

T. 20 N., R. 5 E. 2^d Mer. Ind. a

Ch. Sp.

71.73 Intersect W. Boundary 21 Ws. N. of post—
Land level & 2^d rate. Lumber Beech, Oak, Elm,
Sugar, Ash, Hickory & Ws. Spice &c.

East Corrected between Sec. 19 & 30

Bearings for corner in W. Boundary:

a Sugar 18 in. dia. bears N 23 E 57 Ws. dist. 8

a Beech 12 " " " S 37 E 46 " "

10.70 a Bur Oak 30 in. dia.

31.73 set of sec. post from which

a Beech 14 in. dia. bears N 28 W 22 Ws. dist. 8

a Do 12 " " " S 39 W 28 " "

39.80 a Hickory 15 " "

55.55 an Ironwood 10 " "

71.73 to sec. cor.

South between Sec. 20 & 30

8.14 a Beech 10 in. dia.

12.52 Intersect S. Boundary of Cession; set post
from which

an Ironwood 10 in. dia. bears N 23 E 17 Ws. dist. 8

a Hickory 28 " " " S 10 W 22 " "

Land good. September 7. 1839

Meanders of Mississinewa River.

Right bank down stream. Beginning at the
SW. corner of Grant N. 20, thence:

Courses Ch. Sp.	Remarks.
N 63 W 3.50	In Sec. 24
S 49 W 6.50	
N 82 W 5.00	
N 76 W 10.50	
N 67 1/4 W 1.02	to post in line between Sec. 13 & 24
N 63 1/2 W 3.00	In Sec. 13

140

T. 26 N., R. 5 E., S. 2 Mer. Ind^e

Courses Chrs. & M.

Remarks

N43 $\frac{3}{4}$ W 4.21 to point in line between Sec. 13 & 14

N23W 9.00 In Sec. 14

N44W 10.00

N5E 6.00 at 2.50 Chrs. Head of an Island

N41W 9.00

N27W 9.00 lower end of Island

N5E 6.50

N15E 5.50

N22W 3.00

N6W 3.00

N25W 13.50

N10W 3.50

N40W 3.50

N23 $\frac{3}{4}$ W 3.78 to point in line between Sec. 11 & 14

N23W 17.75 In Sec. 11

N37W 14.50

N69W 3.00

S83W 12.50

N88W 15.00

N69W 4.00

N82 $\frac{1}{4}$ W 2.10 to point in line between Sec. 10 & 11

N87W 5.50 In Sec. 10

S82W 27.50

N82W 3.50

N70W 22.00

N51W 7.00

North 9.00

N22W 4.50

N12W 4.00

N24W 3.50

N36W 9.00

N6W 4.00

N8E 8.00

T. 26 N., R. 5 E. 2. Mer. Ind^aCourses Chs. 210¹

Remarks

N44 $\frac{1}{2}$ E 1.65 to port in line between Sect. 3 & 10

N2E 3.50 In Sec. 3

N69W 5.50

N35W 5.50

N46W 2.50

N49 $\frac{1}{4}$ W 4.98 to port in line between Sect. 3 & 11

N50W 4.00 In Sec. 4

N60 $\frac{1}{2}$ W 2.53 to S.E. corner of Grant N^o 10
September 8. 1839Left bank down stream. Beginning at
port in E. Boundary, thence:

S48W 10.50 In Sec. 24

S76W 6.00

N84W 7.00

S84W 11.50

N72W 12.00

N46W 6.00 at 2.50 Chs. a stream 30 Ws. wide from S.

N26W 5.50

N24W 7.00

N5W 7.00

N34W 3.50

N89W 2.50

S82W 5.50

N80W 10.00

N61W 7.50

N48W 1.24 to port in line between Sect. 23 & 24

N49 $\frac{1}{4}$ W 1.79 In Sec. 23 - to port in line betw Sect. 14 & 23

N43W 5.00 In Sec. 14 - at 1.50 Chs. a stream 10 Ws. wide from

N32W 37.50 at 20.00 Chs. Head of Island SW

N15W 3.13 to port in line of Grant N^o 25

T20 N., R. 5 E. 2^d Mer. Ind.^a

Courses Chs. Per.

Remarks.

Beginning at the NW. corner of Grant N^o 25, thence down stream on left bank:

S80°W 3.00 In Sec. 10

N84°W 5.50

N80°W 13.25

N68°W 11.00

N56°W 9.50

N39°W 4.00

N3°W 15.00 at 50 Chs. a Stream 6 Chs. wide from SW

N32°W 8.00

N41°W 3.50

N25°W 4.75

N7°E 7.00

N8°W 2.50

N44°E 3.96 to post in line between Sec. 3 & 10

N3°W 3.00 In Sec. 3

N7°W 4.00

N26°W 3.50

N51°W 3.00

N44°W 0.97 to post in line between Sec. 3 & 11

N52°W 26.50 In Sec. 4

N84°W 7.00

N67°W 11.50

N54°W 6.00

N42°W 11.00

N55°W 8.50

N46°W 4.50

N57°W 2.84 to NE. corner of Grant N^o 28

September 9. 1839

143

T. 26 N., R. 5 E. 2^d Mer. Ind^a.

I hereby certify that in pursuance of a contract with E. S. Haines, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date the 20th day of April 1839, and in strict conformity with the Laws of the United States and the Instructions of the said Surveyor General, I have surveyed and subdivided into sections Township N. 26 North of Range N. 5 East of the 2^d Principal Meridian, in the State of Indiana; and I certify that the foregoing are the true and original Field Notes thereof.

Certified the 11th day of September 1839

Chauncy Carter

Deputy Surveyor

J. M. Keep }
John Burts } Chairmen

William T. Shave, Marker

I certify that the foregoing transcript of Field Notes of the survey of Township N. 26 North of Range N. 5 East of the 2^d Principal Meridian in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor Gen^l's Office,
Cincinnati, Jan. 24. 1845


William Johnston
Sur. Genl.

INDEX MAPS. **T.25 N. R. 5 E. 2 ^d Mer.**

104	105	105	106	107	107	
110 6	148 5	138 4	132 3	125 2	118 1	104
147	147	138	132	124	117	
109 7	146 8	137 9	131 10	124 11	116 12	103
145	145	137	130	123	115	
109 18	144 17	136 16	130 15	122 14	114 13	103
143	143	136	129	122	114	
108 19	142 20	135 21	129 22	121 23	113 24	102
142	141	134	128	120	112	
108 30	140 29	134 28	127 27	120 26	112 25	102
140	139	133	126	119	111	
108 31	139 32	133 33	126 34	118 35	110 36	101
99	99	99	100	100	101	

T.26 N. R. 5 E. 2 ^d Mer.

6	5	4	3	2	1	
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
North Boundary of Reservation.						
158 30	167 29	165 28	163 27	162 26	160 25	157
168	166	164	163	161	159	
157 31	166 32	164 33	162 34	160 35	158 36	156
153	153	152	155	155	156	

 The figures on the lines refer to the page.

Township No 26 N. R. No 5 E. 2nd Mer. Indiana. 153.
Chalks.

South Boundary.

Var. 420' East

- 189.50 On S. Boundary of Sec. 31
 9.30 Bed of Stream 10 lbs. wide co. Southwly
 18.90 a Beech 12 in. diam.
 19.00 Bed of Stream 15 lbs. wide co. Southwly
 20.30 Enter field N.Y. 200 N. 400 S.
 29.00 Clear field N.Y.
 33.90 Set post 2nd Sec. p. wh.
 a Beech 18 in. diam. N. 84 W. 27 lbs. x
 a W. Beech 6 " " N. 39 E. 30 "
 35.00 a Road N.Y.
 38.00 a Stream 8 lbs. wide co. Southwly
 58.90 a Buckeye 10 in. diam.
 65.00 Enter Field N.Y. 200 N. 400 S.
 72.75 Clear Ld. N.Y.
 73.90 Set post Cor. to Secs 31 & 32 p. wh.
 a Beech 18 in. diam. N. 60 W. 92 lbs. x
 a Ld. 12 " " N. 11 E. 57 "
 Land gently rolling firm soil
 Timbered with Beech, Sugar. Gum, W. &
 R. Oak, Sycamore, W. B. Ash, B. Walnut,
 Buckeye - P. Ash & Spruce

-
- 189.50 On S. Boundary of Sec. 32
 19.50 a Stream 10 lbs. wide co. S. E.
 20.50 Enter Cornfield N.Y.
 31.00 a Beech 10 in. diam.
 40.00 Set 2nd Sec. post p. wh. (in field)
 a B. Walnut Stump 10 in. diam. N. 45 W. 27 lbs. diam.
 a Beech 12 " " N. 6 E. 25 "
 46.40 Clear field N.Y. extends 500 North. and to
 the Creek S. - about 10.00
 48.00 Fennimore Saw Mill 50 lbs. S. of Line
 48.50 To Mill Pond - Offset N. 400 to House
 Thence E. 6.50 - Thence S. 4.00 to Line - East

T. 26 N. R. 5 E. 2nd Mer. Indiana

chs. lks.

Margin of Pond & Creek Bottoms E. N. E.
57.53 a W. Oak 10 in. diam.

61.00 a Run 10 lks. wide co. southerly
80.00 Set post Cor. to Sec. 32 & 33 p. wh.
a Beech 18 in. diam. E. N. 37 W. 60 lks.
a Do 15 " " " N 31 E. 65 "

Land west of Mill Pond
mostly cleared fields rolling firm rator
East of Mill Pond rich Creek
Bottoms Buckeye, Elm, Sycamore
W. B. Ash, Maple, Grape Vine, P. Ash,
& Brim.

189506 On S. Boundary of Sec. 33.

5.00 Enter Field - extends N. about 400 &
South 2 or 3 chs. to Creek

14.00 Leave Field N. & S.

15.25 To Pipe Creek bottom, wide, sluggish
(Mill Pond sits back) (deep) course
W. S. W. along line.

18.00 Leave Creek, same Bank W. S. W.

21.00 Pipe Creek bottom, wide co. S. W.

24.50 To Creek again 60. " " N. W.

36.00 To Creek again 60 " " S. W.

38.50 Ascend 10 feet from Creek Bottoms

40.00 Set 2nd Sec. post p. wh.

a Beech 16 in. diam. E. N. 66 W. 19 lks. &

a Do 10 " " " 425 W. 61 "

54.50 a Do 15 " " "

80.00 Set post Cor. to Sec. 33 & 34 p. wh.

a Beech 15 in. diam. E. N. 65 W. 32 lks. &

a Cherry 10 " " " N 20 W. 19 "

Land firm half mile - Creek
Bottoms - rich alluvial deposit - Firm
Buckeye, W. Beech, Butternut, Sycamore
Hackberry, Grape Vine, P. Ash, Paw-Paw,
Haw-Thorn, Last half mile, mostly

T. 26 N. R. 5 E. 2nd Mer. Indiana. 155.

chs. lks.

gently rolling clay soil Buck. Sugar.
Houo. B. Walnut. Elm. W. Wood etc.

-
- N 89.50 E. On S. Boundary of Sec. 34.
 1.00 Enter Field N 89. Extends 3.00 N 8.00 S.
 19.00 Leave Field E. S. E.
 23.50 a Hickory 10 in. diam.
 34.80 Pipe Creek 80 lks. wide co. W. N. W.
 Rapid & shallow gravelly Bottom
 37.00 Enter Field E. H. E.
 40.00 Set 2nd Sec. post p. wh. (in field.)
 a Buckeye 12 in. diam. N. 84 W. 41 lks. x
 a Sugar 18 " " " N. 69 E. 139.
 42.00 Leave Field N 89. Extends 6.00
 50.00 a Stream 10 lks. wide co. Southw. by
 50.50 a W. Oak 12 in. diam.
 65.50 Enter Wheat field N 89. Extends 2.00 N.
 71.50 Leave do N 89.
 80.00 Set post Con. to Sec. 34 & 35 p. wh.
 a Beech 18 in. diam. N. 37 W. 41 lks. x
 a do 15 " " " N. 46 E. 6 "
 Land gently rolling first
 rate - Beech. Sugar. Houo. Elm. Gum.
 W. R. Oak. Buckeye. Hickory.
 P. Ash & Spruce
-

- N 89.50 E. On S. Boundary of Sec. 35
 22.30 a W. Oak 12 in. diam.
 23.00 Enter field N 89. Extends 3.00 N 5.00 S.
 29.00 Leave do N 89.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 15 in. diam. N. 34 W. 30 lks. x
 a do 10 " " " N. 15 E. 30 "
 57.50 a Hickory 12 " "
 80.00 Set post Con. to Sec. 35 & 36 p. wh.
 an Elm 15 in. diam. N. 38 W. 47 lks. dir.

156.

T. 26 N. R. 5 E. 2nd Mer. Indiana.Ch. 1st.

a Beech 12 in. diam. B. N. 64 E. 28 lbs. &
 Land gently settling fine rate
 clay soil. Beech, B. Walnut, Sugar,
 Ironb. White wood - Gum. Hickory
 W. & R. Oak &c -

N. 89.30 E. On S. Boundary of Sec 36.

24.25 a B. Oak 24 in. diam.

33.00 Enter Swampy Pond N. & S.

39.00 Leave Do N. E. & S. W.

40.00 Set 2nd Sec. just p. wh.

an Elm 18 in. diam. B. N. 33 E. 15 lbs. &

a W. Ash 8 " " " 430 W. 21 "

45.50 a Road N. E. & S. W.

62.75 an Elm 14 in. diam. Enter low
B. Ash Land N. & S.80.00 Set just cor. to Towns 25 & 26 North
Ranges 5 & 6 E. p. wh.

(Intersected 3.22 S. of Temp. Cor.)

a W. Oak 15 in. diam. B. N. 44 W. 49 lbs. &

a B. Ash 10 " " " 474 E. 31 "

Land here rather wet in wet
 seasons - fine rate. Beech, Sugar,
 B. Ash, Elm, Ironb. W. & R. Oak, Maple,
 Hornb. Ash & Spruce - Oct. 21. 1846. -

East Boundary.

Var. 11.33 E.

North On E. Boundary of Sec. 36.

19.00 a House 3.00 E. of Line

24.65 a Beech 10 in. diam., and leave
low B. Ash Land E. & W.46.00 Set 2nd Sec. just p. wh.

a Beech 18 in. diam. B. N. 52 E. 40 lbs. diam.

a Do 12 " " " 452 W. 27 " "

60.21 a Do 10 " " "

T. 26 N. R. 5 E. 2nd Mer. Indiana ^{157.}

chs. lks.

80.00 Set post Cor. to Sec. 25 & 36 p. wh.
a Beech 18 in. diam. to N. 60 E. 39 lks. &
a Sugar 15 " " " 49 W. 10 "
Land well good 2nd rate clay
soil - Beech, Sugar, Ironwood, W. B.
Oak, W. B. Ash, Elm, Hickory &
Spruce & P. Ash -

N. 5' W. On E. Boundary of Sec. 25

17.83 a Beech 12 in. diam.

30.50 Enter deadening E. W.

39.30 Leave Do.

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. to N. 27 E. 31 lks. &

a Sugar 8 " " " N. 66 W. 33 "

40.10 a Stream 6 lks. wide co. N. E.

47.00 a Road from Post to Marion E. W.

61.44 To Line on N. Boundary of Miami
Reserve & took bearings

a Beech 15 in. diam. to N. 48 E. 13 lks. do.

a W. Ash 12 " " " N. 51 W. 33 " "

Land sure good second
rate clay soil - Similar Beech,
Sugar, Hickory, W. B. Oak, Ironwood
& Spruce -

West-Boundary.

var. 4th 30' E.

North On E. Boundary of Sec. 36. T. 26 N. R. 4 E.

19.17 a Beech 12 in. diam.

30.00 Bed of Stream 10 lks. wide co. E. W.

31.00 a Road E. W.

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. to N. 34 E. 14 lks. &

a Do 10 " " " N. 38 W. 6 "

60.15 an Elm 10 " "

158.

T. 26 N. R. 5 E. 2nd Mer. Indiana.
ch. lks.80.00 Set from Cor. to Sec. 25 x 36. p. wh.
an Elm 12 in. diam. to 1240 W. 27 lks.
a Do 10 " " " 4.57 W. 37 "Land here fine & rich -
Sometimes with - B. Ash. Elm. Symm.
Hornwood W. Ash. W. B. Oak. Sycamore.
Sugar. pe - Spruce & P. Ash.

North On E. Boundary of Sec. 25 T. 26 N. R. 4 E.

14.93 a Maple 10 in. diam.

40.00 Set 2nd Sec. from p. wh.

a Beech 12 in. diam. to 4.88 W. 25 lks.

a Do 12 " " " N 50 E. 6 "

62.05 To post on Reserve Line on South

Boundary of Do - took new bearing,

an Iron p. - in. diam. to 4.28 W. 25 lks.

a Do 10 " " " 4.65 E. 36 "

Land here rich - Beech.
Sugar. Symm. W. B. Ash W. Wood.
Hornb. Symm. Maple. Elm. Oak.
Sycamore -

Survey Oct. 20, 1846, by

John Mullitt

Depy. Surveyor.

Subdivision

S. of N. Boundary of Miami Reserve

Var. 42° 35' E.

North Between Sections 35 x 36

7.50 a Road bars N. W.

9.37 a W. Elm 24 in. diam.

21.10 a Burr Oak 48 " "

31.26 a Beech 20 " "

33.50 a Branch 6 lks. wide ce. W.

40.00 Set 2nd Sec. from p. wh.

an Iron p. 10 in. diam. 4 1/2 E. 21 lks.

159.

Tb N. R. 5 E. 2nd Mer. Indiana

cls. lks.

- an Ironw. 8 in. diam. E. N. W. 16 lks. dis
 50.29 a Hickory 24 " "
 54.00 a Road bars N. E.
 61.39 a Beech 24 in. diam.
 75.00 a Branch 6 lks. wide co. S. W.
 80.00 Set post Cor. to Sec. 25, 26, 35 & 36 p. wh.
 a W. Oak 24 in. diam. E. West 2 lks.
 a Buckeye 8 " " " S. 61 E. 12 "
 Land here good second
 rate. Timber W. B. Oak, G. Ash, Sugar,
 Poplar & Beech. Undergrowth Spruce, Hawth,
 Ironw. and Buckeye

1895 E. On Random Bitter Sec. 25 & 36.

Variation 4.20 East

- 3.00 a Branch 4 lks. wide co. S. W.
 12.50 a Road bars N. E.
 28.00 a Branch 4 lks. wide co. N. 70 E.
 34.50 a Ho 8 " " " North
 40.00 Set Temp. post
 42.00 a Branch 8 lks. wide co. North
 45.00 South part of L. Hawkins improvement
 57.50 Clear Improvement
 80.37 Intersected E. Boundary, 15 lks. N. of post
 Land here second rate. Tim.
 W. Oak, Sugar, Elm & Beech Undergrowth
 Spruce & Beech, scattering

1895 W. Established Line Bitter Sec. 25 & 36

- 20.63 a Beech 18 in. diam.
 40.18 Set 2nd Sec. post p. wh.
 a Sugar 20 in. diam. E. N. 69 W. 56 lks.
 a Spruce 18 " " " S. 63 W. 15 "
 50.42 a Ho 20 " "
 65.10 a W. Oak 18 " "
 80.37 to Sec. Cor.

160. T. 26 N. R. 5 E. 2nd Mer. Indiana.

cls. lks.

North Between Sections 25 & 26
Variation 4.35 East

10.50 a Road bears E & W.
20.00 Rolling Land
24.00 Gradual Descent Elev. 40.
25.00 Foot of 20
29.00 a Creek 25 lks. wide co. East
29.50 Ascend (Elev. 20) 12 feet
39.00 a Road bears E.
40.00 Set 2nd Sec. post
61.60 Intersected Old Boundary 33 W. of post
Land from 20.00 Set Second
rate - Timber W. Oak, Sugar, Beech. Last
41.60 Rolling 2nd rate Timber W. Oak, Hick,
Sugar, Beech & Spruce, Ironwood & Beech

1. 18 W. Established Line Between Sec. 25 & 26
11.61 a Beech 18 in. diam. { Beech 8. 18 1/2 W. 63 lks.
16.10 a Sugar 18 " " { Hick. 7. 18 1/2 E. 43 "
21.60 Set 2nd Sec. post sp. wh.
a Beech 12 in. diam. E. 4 1/2 W. 7 lks. &
an Ironwood 6 " " " N. 32 W. 20 "
31.50 a Beech 12 " "
61.60 to Sec. Cor.

North Between Sec. 34 & 35 Var. 4.35 East

10.50 a Beech 20 in. diam.
21.38 a W. Oak 18 " "
25.40 an Elm 20 " "
30.00 a Beech — " "
40.00 Set 2nd Sec. post sp. wh.
a Beech 20 in. diam. 26 W. 8 lks.
a 20 12 " " N. 23 1/2 - 26 "
48.00 a Lym 18 " "
56.00 a Beech 12
60.00 a Willow Pond

T. 26 N. R. 5 E. 2nd Mer. Indiana. 161.

duller

65.00 Lean Willow Pond.

76.50 a Road bars S. E.

80.00 Established Cor. to Sec. 26, 27, 34, 35 pr. wh.

a W. Oak 12 in. diam. B. 48 ft. W. 20 ft. &

a R. Elm 10 " " " N 34 E. 20 "

Land Linn. Quonapate.

Timber, W. Oak, Beech, Poplar, R. Elm.

Sugar, & Lym. - Thick Undergrowth.

of Spruce, Ironwood & Beech.

189.50 E. On Random Butte. Sec. 26 & 35 Var. 420 E.

36.00 a Road bars North

40.00 Set Temp. 7. feet

56.00 a Road bars North

61.00 a do " N. E.

64.00 Begin Ascent of Land Elev. 300

64.50 Foot of Ascent

65.00 a Creek 20 ft. wide ca. N. E.

66.00 Ascent of Land Elev. 600. 10 feet

70.00 a Road bars N. E.

80.08 Intersected Sec. Line at foot

Land this 80.08 gently rolling
good Quonapate Timber, W. Oak, Sugar,
R. Elm, S. Ash, Poplar & Beech.
Thick Undergrowth. Spruce Ironwood & Beech.

189.50 W. Established Line Butte. Sec. 26 & 35

9.50 an Ironwood 10 in. diam.

2.18 a Sugar 12 " "

35.79 a Beech 12 " "

40.04 Set 2nd Sec. line pr. wh.

an Ironwood 10 in. diam. B. 41 ft. W. 15 ft. &

a do 12 " " N. 60 W. 5 "

50.50 a Lym 18 " "

65.11 a Beech 24 " "

80.08 to Sec. Cor.

162. T. 26 N. R. 3 E. 2nd Mer. Indiana.

ch. 16.

North Between Secs. 26 & 27 Var. 42° E.

40.00 Set 2nd Sec. for 1st pr. wh.

61.50 Intersected Old N. Boundary 28 lks. N. of here

Land this 61.50 gently rolling.

good second rate - Loblolly Oak & Ash.

Beech, Poplar, Gum, Sugar.

Thick Undergrowth - Sugar, Beech
and P. Oak.

1. 15th Established line betw. Secs. 26 & 27
an Iron 8 in. diam. 1. 65th 18 lks. drs
a Beech 18 " " 1. 16th 71 " "

11.31 a Do 24 " "

21.50 Set 2nd Sec. for 1st pr. wh.

a Beech 24 in. diam. 1. 42nd 33 lks.

a Do 8 " " 1. 39th 33 "

36.09 a Poplar 18 " "

56.10 a Beech 12 " "

61.50 to Sec. Cor. May 3rd 1847

North Between Sections 33 & 34 Var.

3.00 Gradual descent to Bottom Land

17.00 Pipe Creek call. Low Bank place current

18.54 Leave Pipe Creek

21.50 a Beech 18 in. diam.

33.46 a Poplar 24 " "

40.00 Set 2nd Sec. for 1st pr. wh.

a Beech 12 in. diam. 1. 63rd 18 lks. &

a Gum 18 " " 1. 43rd 10 "

54.97 a Beech 20 " "

66.11 a Hick. 12 " "

76.50 a Road N. 10 E.

80.00 Established Cor. to Secs. 27, 28, 33, 34 pr. wh.

a Beech 10 in. diam. 1. 22nd 25 lks. &

an P. Oak 12 " " 1. 26th 18 "

Land this 80.00 gently rolling

163.

T. 26 N. R. 5 E. 2nd Mer. Indiana.

Chs. 11th.

good second rate Timber W. Oak. G. Ash.
Sugar, Poplar & Beech. Thick growth.
of Spruce, Ironwood & Beech.

1895th. Chs. Random Betwth Sec. 27 & 34 Mar. 4th 26th.

1.00 a Road near North
32.00 a Road near North
40.00 Set Temp. 9. just
56.00 an Oak & Elm Swamp.
70.00 Near Swamp
80.00 Intersected N. & S. line at post

Land firm 56.00 Good second
rate Timber W. Oak, Elm, Hickory and
Beech. 14.00 Swamp third rate
Timber G. Ash & Elm. Last 10.00 Good
second rate Timber W. Oak, Ash, Elm &
Beech. Thick growth. Spruce, Poplar & Ironwood.

1895th. Established Line Betwth Sec. 27 & 34

10.21 an S. Oak 12 in. diam.
20.56 an S. Elm 18 " "
33.08 a Beech 14 " "
40.00 Set Dr. Sec. just from wh.
a Beech 12 in. diam. Betwth 15 E. 20 W. &
a Do 14 " " " 15 E. 23 "
49.63 a W. Oak 30 " "
64.26 a Spruce 18 " "
80.00 to Sec. 30.

North Between Sections 27 & 28. Mar. 11th 35th E.

5.00 Elm & Ash Swamp. Extends E. & W.
20.00 Near Swamp.
40.00 Set Temp. 9. just
61.60 Intersected N. & S. Boundary at post.
Land firm 5.00 Good second rate
Mar. 15.00 Swamp, poor. Last 41.60 Good

T. 26 N. R. 3 E. 2nd Mer. Indiana.
 chs lks.

Second rate Timber on dry Land W. Oak,
 Hickory, Ironw. Lym. & Beech. Timber
 in Swamp S. Ash & Elm. Underth.
 Spruce, P. Ash, Ironw. & Beech.

South Established Lim. Betw. Sec. 27 & 28

- a B. Oak 12 in. diam. E. 39 N. 31 lks. &
 an S. Ash 10 " " " 36 N. 47 "
 11.76 a Lym. 24 " "
 16.18 a Beech 12 " "
 21.60 Set 2nd Sec. just past.
 an S. Ash 12 in. diam. E. 77 N. 11 lks. &
 a W. Elm 20 " " " 72 N. 24 "
 36.16 a Beech 20 " "
 51.14 a Lym. 20 " "
 61.60 to Sec. Cor.

North Between Section 32 & 33 Var. 4.35 E.

- 10.50 a W. Elm 21 in. diam.
 23.36 a Beech 24 " "
 31.63 a W. Oak 20 " "
 40.00 Set 2nd Sec. just past.
 a Beech 10 in. diam. E. 30 N. 24 lks.
 a L. 12 " " " 34 N. 71 "
 57.29 a Sugar 20 " "
 64.46 a W. Oak 30 " "
 71.21 a Beech 12 " "
 80.00 Established Cont. Sec. 28, 29, 32 & 33 p. w.
 a Hickory 14 in. diam. 24 N. 10 lks. &
 a B. Oak 24 " " N. 16 E. 36 "

Land this 8⁰⁰⁰ L. & 2nd Sec.
 rate Timber W. Oak, S. Ash, Lym. and
 Beech. Thick Underth. of Spruce
 P. Ash, Ironw. & Beech

N. 89.50 E. On Rancon Betw. Sec. 28 & 33

165.

T. 26 N. R. 5 E. 2nd Mer. Indiana.

Chs. Lks.

Variation 4.20 East

40.00 Set Temp. post
 80.05 Intersected N. S. Line 10 Lks. S. of post
 Land this 80.05 level second
 rate - Timber W. Oak, Hickory, Sugar,
 & Beech. - Thick Undergrowth of Spice
 Ironwood & Beech. -

189.46 W. Established Line Bet. Sec. 28 & 33.
 15.21 a W. Oak 12 in. diam.
 25.43 a Beech 18 " "
 36.00 a Sugar 10 " "
 40.02 Set 2nd Sec. post. post.
 a Beech 10 in. diam. N. 89 W. 20 Lks. dis.
 a Hickory 12 " " " South 15 " "
 49.60 a Beech 24 " "
 60.10 a Sugar 20 " "
 80.05 to Sec. 60. -

North Return Sec. 28 & 29 Var. 4.35 East
 22.50 a Branch 6 Lks. wide co. N. W.
 40.00 Set Temp. post
 43.50 a Branch 8 Lks. wide co. N. 10 E.
 49.00 Branch again 10 Lks. wide co. West
 55.00 a Willow Swamp
 61.00 Clear Swamp
 61.27 Intersected N. S. Boundary of Miami River
 20 Lks. E. of post
 Land first 55.00 level second
 rate - Timber W. Oak, G. Ash, Sycamore & Beech.
 Next 6.00 level second rate - Timber W. Oak
 Ash, Beech. Undergrowth Spice, P. Ash, & Beech.

4. 11 E. Established Line Bet. Sec. 28 & 29
 a Maple 10 in. diam. N. 18 E. 8 Lks. dis.
 a Cottonwood 20 " " " 29 N. 33 " "

166.

T. 26 N. R. 5 E. 2nd Mer. Indiana.

Chs lks.

- 11.18 a Beech 20 in. diam.
 21.27 Set 2nd Sec. part p. wh.
 a W. Oak 18 in. diam. to 436 E. 8 lks. dis.
 a Hickory 12 " " " N. 71 W. 10 " "
 31.27 a Beech 12 " "
 50.29 a Lym 20 " "
 61.27 to Sec. Co. May 4, 1847

North Between Section 31 & 32 to 435 E.

- 5.70 a Road bars Exp. W.
 8.51 a Beech 12 in. diam.
 31.43 a Lc 24 " "
 37.15 a G. Ash 18 " "
 40.00 Set 2nd Sec. part p. wh.
 a Beech 18 in. diam. to 440 W. 31 lks. x
 a Hickory 6 " " " N. 20 E. 9 "
 45.62 a Lc 18 " "
 63.73 a W. Oak 48 " "
 71.20 a W. Elm 20 " "
 80.00 Established Co. to Sec. 29, 30, 31, 32 p. wh.
 a Red Elm 12 in. diam. to 489 W. 16 lks. dis.
 a G. Ash 24 " " " N. 57 E. 39 " "

Land this 80.00 had second
 rate - Timber W. Oak, G. Ash, W. Elm,
 Sugar & Beech. Thick Undergrowth
 of Spice, Spruce, P. Ash & Beech

T. 55 S. 4 E. Corrected Between Sec. 29 & 32

- 10.13 a Lym 18 in. diam.
 31.00 a W. Oak 12 " "
 39.50 Set 2nd Sec. part p. wh.
 a W. Oak 30 in. diam. to 476 E. 73 lks. x
 a Lc 40 " " " 453 W. 36 "
 54.60 a Beech 24 " "
 65.00 a Red Elm 18 " "
 79.00 to Sec. Co.

167.

Tob N. P. 56. 2nd Mer. Indiana.

ch. lks.

N 89.50 E On Random Btr? Sec. 29 & 30

Variation 4.26 East

10.00 a Road traw N. 30 W.

37.50 a Road traw N. & S.

40.00 Set Temp. post

79.00 Intersected N. & S. Line 10 lks. E. of post

Land Soil Second rate -

Timber N. Oak, Bun. Oak, Lym. Beech,
and Hickory. - Underth. Spruce, P. Ash,
and Beech -

Note by Recorder

See correction immediately
back on other page -

North Between Section 29 & 30 Mer. 4.35 E.

15.00 Maple & Ash Swamp, extends E. & Westward

21.00 Clear Swamp

23.50 a Road traw N. W.

40.00 Set Temp. post

51.50 Improvement

61.93 Intersected N. Boundary of Miami Reserve
64 lks. E. of post

Land this 61.93 level Second
rate. Timber N. Oak, Sugar, Lym. Hickory,
Beech. Thick Underth. of Spruce, P. Ash, &
Beech - Same in top. poor. Timber
Maple, S. Ash & Elm.

N. 35 E Established Line Btr? Sec. 29 & 30

a N. Oak 18 in. diam. to N. 18 E. 52 lks. av.

No other tree S. of Boundary

16.31 a Beech 30 in. diam

21.93 Set 2nd Sec. post p. 100.

a G. Ash 30 in. diam. to South 13 lks. av.

a B. Oak 20 " " N. 50 W. 5 " "

31.10 a Lym 18 " "

168.

T. 26 N. R. 5 E. 2nd Mer. Indiana.

Chs. 112

56.19 a W. Oak 12 in. diam.

11.93 to Sec. Cor.

489.50 on Random Betwth Sec 30 & 31

Variation 42° East.

10.00 a Road bars G.

30.00 Ash & Elm Swamp.

40.00 Set Term. post

73.14 Interrupted N. Boundary 20 k. S. of post

Land first 3000 loc. Second
rate - Timber W. Oak, Hickory, Gum & Beech.Last 43.14 Swamp, third rate. Timber
G. Ash, S. Elm, Bur Oak, Maple. Thick
Undergrowth throughout of Spice P. Ash & Beech.189.58 E. Established Line Betwth Sec 30 & 31

a Sap. Ash — in. diam. N. 46° E. 14 k. S.

a Hickory 10 " " " N. 32° E. 22 "

13.26 an S. Ash 12 " "

23.50 an S. Elm 20 " "

33.14 Set 2nd Sec. post p. wh.

an S. Elm 14 in. diam. N. 41° E. 12 k. S.

a B. Oak 12 " " " N. 45° W. 16 "

43.64 a Bur Oak 24 " "

63.18 a Beech 12 " "

73.14 to Sec. Cor. May 5, 1847.

General Description

fractional Township N. 26.
North, of Range N. 5 East, is good
second rate Land - generally level,
and heavily timbered with W. Oak, B.
Oak, Gum, Sugar & Beech principally,
and a thick Undergrowth of Spice P. Ash,
Ironwood, and Beech.

169.
T 26 N. R. 5 E. 2nd Mer. Indiana

The Creeks and Branches
have low Banks, and flow currents
North and Westward.

I Abner E. Van Ness
Depy. Surveyor - Do solemnly swear,
that in pursuance of a Contract dated
the 20th day of May 1846, with Lucius
Lyon, Surveyor General of the United
States, for Ohio, Indiana & Michigan
and in strict conformity to the Laws
of the United States, and Instructions
of said Surveyor General - I have
regularly surveyed and subdivided
into Sections, Fractional Townships, N^o
26 North of Range N^o 5 E. of the Second
Principal Meridian in the State of Indiana.
And I do further solemnly swear that
the foregoing are the true and Original
Field Notes of the Survey & Subdivision -
Executed as Aforesaid.

Abner E. Van Ness
Depy. Surveyor
Subscribed & sworn to before me this 5th
day of June 1847 - Jas. M. Sumner
Justice of Peace
James Beech
Justice Minors } chairman -
Isaac M^{rs} Collins Marker -

I certify that the foregoing Transcript of the
Field Note of Township N^o 26 N. R. N^o 5 E. 2nd Meridian
Indiana, has been compared with the Original
Note, in this Office & found to be correct
Surv. Genl. Office } Lucius Lyon,
Detroit } Surv. Genl.